

**REPUBLIC OF KENYA**



**STANDARD TENDER DOCUMENT**

**FOR**

**PROPOSED EXTENSION TO VIP GUEST WING  
(MAIN BLOCK AND WALK WAY)**

**TENDER NO: KSG/09/2017-2018**

**CLOSING DATE: THURSDAY 12, 2017 AT 10.30 AM**

## **TABLE OF CONTENTS**

<b><u>PAGE</u></b>	
SIGNATURE Pg ii	
TABLE OF CONTENTS	2
INTRODUCTION .....	3
SECTION I INVITATION FOR TENDERS .....	4
SECTION II INSTRUCTIONS TO TENDERERS .....	5-
13	
SECTION III CONDITIONS OF CONTRACT .....	
13-23	
APPENDIX TO CONDITIONS OF CONTRACT .....	
24 - 25	
SECTION IV SPECIFICATIONS, DRAWINGS AND BILLS OF QUANTITIES/SCHEDULE OF RATES.....	
26-27	
SECTION V STANDARD FORMS .....	
28-46	
SECTION VI PARTICULAR PRELIMINARIES .....	
pp1 – pp7	
SECTION VII GENERAL PRELIMINARIES .....	
Gp1-pn3	

SECTION VIII A-T	BUILDERS WORK .....	
SECTION IX 1	P.C & PROVISIONAL WORKS .....	Ps
SECTION X 1	GRAND SUMMARY .....	GS

## INTRODUCTION

- 1.10 This standard tender document for procurement of works has been prepared for use by procuring entities in Kenya in the procurement of works (e.g. Buildings, Roads, Bridges, Repairs and Maintenance) which the procuring entity considers to be small and where it is not required to be open tendering.
- 1.20 The following guidelines should be observed when using the document:-
- (a) Specific details should be furnished in the tender notice and in the special conditions of contract (where applicable). The tender document issued to tenderers should not have blank spaces or options.
  - (b) The instructions to tenderers and the General Conditions of Contract should remain unchanged. Any necessary amendments to these parts should be made through Appendix to instructions to tenderers and special conditions of contract respectively.
- 1.3 (a) Information contained in the invitation to tender shall conform to the data and information in the tender documents to enable prospective tenderers to decide whether or not to participate in

the tender and shall indicate any important tender requirements

- I. The invitation to tender shall be as an advertisement in accordance with the regulations or a letter of invitation addressed to tenderers who have been prequalified following a request for prequalification.

1.4 The cover of the tender document should be modified to include:-

- II. Tender number.
- III. Tender name.
- IV. Name of procuring entity.

## **SECTION I**

### **INVITATION FOR TENDERS**

**Tender reference No. Tender No: KSG/09/2017-2018**

**Tender Name: Proposed Extension to Vip Guest Wing (Main Block and Walk Way)**

1. The Kenya School of Government invites sealed tenders for Proposed Extension to Vip Guest Wing at Matuga Campus
2. Interested eligible candidates may obtain further information and inspect tender documents at the Embu Campus during normal working hours

3. A complete set of tender documents may be obtained by interested candidates upon payment of a non-refundable fee of one thousand (Kshs 1,000) in cash or Bankers Cheque payable to Director General Kenya School of Government
4. Prices quoted should be net inclusive of all taxes, must be in Kenya shillings and shall remain valid for (120) days from the closing date of tender
5. Only bidders who meet the following criteria, which must be demonstrated by attaching relevant documentary evidence, shall be considered for further evaluation
  - a) Must be registered by National Construction Authority (NCA)
  - b) Fully filled Tender securing declaration form
  - c) Provide valid tax compliance certificate
  - d) Provide PIN and V.A.T certificates
  - e) Provide proof of registration as a company
  - f) Fully filled business questioner
  - g) Qualifications and experience of key site management and technical personnel proposed for the Contract and an undertaking that they shall be available for the Contract.
  - h) authority to seek references from the tenderer's bankers;
  - i) information regarding any litigation, current or during the last three years, in which the tenderer is involved, the parties concerned and disputed amount
  - j) Form of tender should be fully filled.
    - a. Further, tender from the following tenderers shall be treated as Non- responsive and therefore subject to automatic disqualification:-
      - i. A tender from a tenderer whose on-going projects is/are behind schedule and without any approved extension of time
      - ii. A tender from a tenderer who has been served with default notice on on-going project/s or terminated from contract

b. The Government reserves the right to reject any tender or all the tenders without giving reasons for rejection, and does not bind itself to accept the lowest or any tender.

1.5 Completed tender documents are to be enclosed in plain sealed envelopes marked with Tender name and reference number and deposited in the Tender Box at Kenya School of Government- Mombasa or to be addressed to

**Director General  
Kenya School of Government**

**SECTION II**  
**INSTRUCTIONS TO TENDERERS**  
**TABLE OF CONTENTS**

<b>CLAUSE</b>	<b>PAGE.</b>
1. GENERAL -----	--- 4
2. TENDER DOCUMENTS -----	5
3. PREPARATION OF TENDERS -----	5 - 6
4. SUBMISSION OF TENDERS -----	6 - 7
5. TENDER OPENING AND EVALUATION -----	7 - 8
6. AWARD OF CONTRACT -----	8 - 9

## **INSTRUCTIONS TO TENDERERS.**

### **1. General**

1.1 The Employer as defined in the Appendix to Conditions of Contract invites tenders for Works Contract as described in the tender documents. The successful Tenderer will be expected to complete the Works by the Intended Completion Date specified in the said Appendix.

1.2 Tenderers shall include the following information and documents with their tenders, unless otherwise stated:

- k) Must be registered by National Construction Authority (NCA)
- l) Fully filled Tender securing declaration form
- m) Provide valid tax compliance certificate
- n) Provide PIN and V.A.T certificates
- o) Provide proof of registration as a company
- p) Fully filled business questioner
- q) Qualifications and experience of key site management and technical personnel proposed for the Contract and an undertaking that they shall be available for the Contract.
- r) authority to seek references from the tenderer's bankers;
- s) information regarding any litigation, current or during the last three years, in which the tenderer is involved, the parties concerned and disputed amount

1.3 The Tenderer shall bear all costs associated with the preparation and submission of his tender, and the Employer will in no case be responsible or liable for those costs.

1.4 The Tenderer, at the Tenderer's own responsibility and risk, is encouraged to visit and examine the Site of the Works and its surroundings, and obtain all information that may be necessary for preparing the tender and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the Tenderer's own expense.

1.5 The procurement entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.

1.6 The price to be charged for the tender document shall not exceed Kshs.5,000/=

1.7 The procuring entity shall allow the tenderer to review the tender document free of charge before purchase.



## **2. Tender Documents**

- 2.1 The complete set of tender documents comprises the documents listed here below and any addenda issued in accordance with clause 2.4 herebelow:-
- (a) These instructions to Tenderers
  - (b) Form of Tender
  - (c) Conditions of Contract and Appendix to Conditions of Contract
  - (d) Specifications
  - (e) Drawings
  - (f) Bills of Quantities/Schedule of Rates (whichever is applicable)
  - (g) Other materials required to be filled and submitted in accordance with these Instructions and Conditions
- 2.2 The Tenderer shall examine all instructions, forms and specifications in the tender documents. Failure to furnish all information required by the tender documents may result in rejection of his tender.
- 2.3 A prospective Tenderer making inquiry of the tendering documents may notify the Employer in writing or by cable, telex or facsimile at the address indicated in the letter of invitation to tender. The Employer will respond to any request for clarification received earlier than seven [7] days prior to the deadline for submission of tenders. Copies of the Employer's response will be forwarded to all persons issued with tendering documents, including a description of the inquiry, but without identifying its source.
- 2.4 Before the deadline for submission of tenders, the Employer may modify the tendering documents by issuing addenda. Any addendum thus issued shall be part of the tendering documents and shall be communicated in writing or by cable, telex or facsimile to all Tenderers. Prospective Tenderers shall acknowledge receipt of each addendum in writing to the Employer.
- 2.5 To give prospective Tenderers reasonable time in which to take an addendum into account in preparing their tenders, the Employer shall extend, as necessary, the deadline for submission of tenders in accordance with clause 4.2 herebelow.

## **3. Preparation of Tenders**

- 3.1 All documents relating to the tender and any correspondence shall be in English Language.
- 3.2 The tender submitted by the Tenderer shall comprise the following:-
- (a) The Tender;
  - (b) Tender Security;

- (c) Priced Bill of Quantities/Schedule of Rates for lump-sum Contracts
  - (d) Any other materials required to be completed and submitted by Tenderers.
- 3.3 The Tenderer shall fill in rates and prices for all items of the Works described in the Bill of Quantities/Schedule of Rates. Items for which no rate or price is entered by the Tenderer will not be paid for when executed and shall be deemed covered by the other rates and prices in the Bill of Quantities/Schedule of Rates. All duties, taxes and other levies payable by the Contractor under the Contract, as of 30 days prior to the deadline for submission of tenders, shall be included in the tender price submitted by the Tenderer.
- 3.4 The rates and prices quoted by the Tenderer shall not be subject to any adjustment during the performance of the Contract.
- 3.5 The unit rates and prices shall be in Kenya Shillings.
- 3.6 Tenders shall remain valid for a period of sixty (60) days from the date of submission. However in exceptional circumstances, the Employer may request that the Tenderers extend the period of validity for a specified additional period. The request and the Tenderers' responses shall be made in writing.
- 3.7 The Tenderer shall prepare one original of the documents comprising the tender documents as described in these Instructions to Tenderers.
- 3.8 The original shall be typed or written in indelible ink and shall be signed by a person or persons duly authorised to sign on behalf of the Tenderer. All pages of the tender where alterations or additions have been made shall be initialed by the person or persons signing the tender.
- 3.9 Clarification of tenders shall be requested by the tenderer to be received by the procuring entity not later than 7 days prior to the deadline for submission of tenders.
- 3.10 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

#### **4. Submission of Tenders**

- 4.1 The tender duly filled and sealed in an envelope shall;-
- (a) be addressed to the Employer at the address provided in the invitation to tender;
  - [b] bear the name and identification number of the Contract as defined

in the invitation to tender; and

[c] provide a warning not to open before the specified time and date for tender opening.

4.2 Tenders shall be delivered to the Employer at the address specified above not later than the time and date specified in the invitation to tender.

4.3 The tenderer shall not submit any alternative offers unless they are specifically required in the tender documents.

Only one tender may be submitted by each tenderer. Any tenderer who fails to comply with this requirement will be disqualified.

4.4 Any tender received after the deadline for opening tenders will be returned to the tenderer un-opened.

4.5 The Employer may extend the deadline for submission of tenders by issuing an amendment in accordance with sub-clause 2.5 in which case all rights and obligations of the Employer and the Tenderers previously subject to the original deadline will then be subject to the new deadline.

## **5. Tender Opening and Evaluation**

5.1 The tenders will be opened in the presence of the Tenderers' representatives who choose to attend at the time and in the place specified in the invitation to tender.

5.2 The Tenderers' names, the total amount of each tender and such other details as may be considered appropriate, will be announced at the opening by the Employer. Minutes of the tender opening, including the information disclosed to those present will also be prepared by the Employer.

5.3 Information relating to the examination, clarification, evaluation and comparison of tenders and recommendations for the award of the Contract shall not be disclosed to Tenderers or any other persons not officially concerned with such process until the award to the successful Tenderer has been announced. Any effort by a Tenderer to influence the Employer's officials, processing of tenders or award decisions may result in the rejection of his tender.

5.4 Tenders determined to be substantially responsive will be checked for any arithmetic errors. Errors will be corrected as follows:

(a) where there is a discrepancy between the amount in figures and the amount in words, the amount in words will prevail; and

- (b) where there is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will prevail, unless in the opinion of the Employer's representative, there is an obvious typographical error, in which case the adjustment will be made to the entry containing that error.
  - (c) In the event of a discrepancy between the tender amount as stated in the Form of Tender and the corrected tender figure in the main summary of the Bill of Quantities/Quotation, the amount as stated in the Form of Tender shall prevail.
  - (d) The Error Correction Factor shall be computed by expressing the difference between the tender amount and the corrected tender sum as a percentage of the Corrected Builder's Work (i.e. corrected tender sum less P.C. and Provisional Sums).
  - (e) The Error Correction Factor shall be applied to all Builder's Work (as a rebate or addition as the case may be) for the purposes of valuations for Interim Certificates and valuation of variations.
  - (f) The amount stated in the tender will be adjusted in accordance with the above procedure for the correction of errors and with concurrence of the Tenderer, shall be considered as binding upon the Tenderer. If the Tenderer does not accept the corrected amount, the tender may be rejected and the Tender Security forfeited.
- 5.5 The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.
- 5.6 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)
- 5.7 Where contract price variation is allowed, the valuation shall not exceed 15% of the original contract price.
- 5.8 Price variation requests shall be processed by the procuring entity within 30 days of receiving the request.
- 5.9 Preference where allowed in the evaluation of tenders shall not exceed 15%
- 5.10 To assist in the examination, evaluation, and comparison of tenders, the Employer at his discretion, may request [in writing] any Tenderer for clarification of the tender, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by cable, telex or facsimile but no change in the tender price or substance of the tender shall be sought, offered or permitted.

5.11 The Tenderer shall not influence the Employer on any matter relating to his tender from the time of the tender opening to the time the Contract is awarded. Any effort by the Tenderer to influence the Employer or his employees in his decision on tender evaluation, tender comparison or Contract award may result in the rejection of the tender.

## **6. Award of Contract**

6.1 The award of the Contract will be made to the Tenderer who has offered the lowest evaluated tender price.

6.2 Notwithstanding the provisions of clause 6.1 above, the Employer reserves the right to accept or reject any tender and to cancel the tendering process and reject all tenders at any time prior to the award of Contract without thereby incurring any liability to the affected Tenderer or Tenderers or any obligation to inform the affected Tenderer or Tenderers of the grounds for the action.

6.3 The Tenderer whose tender has been accepted will be notified of the award prior to expiration of the tender validity period in writing or by cable, telex or facsimile. This notification (hereinafter and in all Contract documents called the "Letter of Acceptance") will state the sum [hereinafter and in all Contract documents called the "Contract Price" which the Employer will pay the Contractor in consideration of the execution, completion, and maintenance of the Works by the Contractor as prescribed by the Contract. The contract shall be formed on the parties signing the contract. At the same time the other tenderers shall be informed that their tenders have not been successful.

6.4 The Contract Agreement will incorporate all agreements between the Employer and the successful Tenderer. It will be signed by the Employer and sent to the successful Tenderer, within 30 days following the notification of award. Within 21 days of receipt ,the successful Tenderer will sign the Agreement and return it to the Employer.

6.5 Within 21 days after receipt of the Letter of Acceptance, the successful Tenderer shall deliver to the Employer a Performance Security amount stipulated in the Appendix to Conditions of Contract.

6.6 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.

- 6.7 The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.
- 6.8 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.

## **7. Corrupt and fraudulent practices**

- 7.1 The procuring entity requires that the tenderer observes the highest standard of ethics during the procurement process and execution of the contract. A tenderer shall sign a declaration that he has not and will not be involved in corrupt and fraudulent practices.
- 7.2 The procuring entity will reject a tender if it determines that the tenderer recommended for award has engaged in corrupt and fraudulent practices in competing for the contract in question.
- 7.3 Further a tenderer who is found to have indulged in corrupt and fraudulent practices risks being debarred from participating in public procurement in Kenya.

**SECTION III**  
**CONDITIONS OF CONTRACT**

<b>Table of Clauses</b>		<b>Page</b>
1.	DEFINITIONS.....	11
2.	CONTRACT DOCUMENTS.....	12
3.	EMPLOYER’S REPRESENTATIVE’S DECISIONS.....	13
4.	WORKS, LANGUAGE AND LAW OF CONTRACT.....	13
5.	SAFETY, TEMPORARY WORKS AND DISCOVERIES.....	13
6.	WORK PROGRAM AND SUB-CONTRACTING.....	13
7.	THE SITE.....	13 - 14
8.	INSTRUCTIONS.....	14
9.	EXTENSION OF COMPLETION DATE.....	14 - 15
10.	MANAGEMENT MEETINGS.....	15
11.	DEFECTS.....	15 - 16
12.	BILLS OF QUANTITIES/SCHEDULE OF RATES.....	16
13.	VARIATIONS.....	16
14.	PAYMENT CERTIFICATES AND FINAL ACCOUNT .....	16 - 17
15.	INSURANCES .....	18
16.	LIQUIDATED DAMAGES.....	18
17.	COMPLETION AND TAKING OVER.....	18
18.	TERMINATION.....	18 - 19
19.	PAYMENT UPON TERMINATION.....	19
20.	CORRUPT GIFTS AND PAYMENTS OF COMMISSION.....	19 - 20
21.	SETTLEMENT OF DISPUTES.....	20
22.	APPENDIX TO CONDITIONS OF CONTRACT .....	21 - 22

## SECTION III - CONDITIONS OF CONTRACT

### 1. Definitions

1.1 In this Contract, except where context otherwise requires, the following terms shall be interpreted as indicated;

**“Bills of Quantities”** means the priced and completed Bill of Quantities forming part of the tender [where applicable].

**“Schedule of Rates”** means the priced Schedule of Rates forming part of the tender [where applicable].

**“The Completion Date”** means the date of completion of the Works as certified by the Employer’s Representative.

**“The Contract”** means the agreement entered into by the Employer and the Contractor as recorded in the Agreement Form and signed by the parties.

**“The Contractor”** refers to the person or corporate body whose tender to carry out the Works has been accepted by the Employer.

**“The Contractor’s Tender”** is the completed tendering document submitted by the Contractor to the Employer.

**“The Contract Price”** is the price stated in the Letter of Acceptance.

**“Days”** are calendar days; **“Months”** are calendar months.

**“A Defect”** is any part of the Works not completed in accordance with the Contract.

**“The Defects Liability Certificate”** is the certificate issued by Employer’s Representative upon correction of defects by the Contractor.

**“The Defects Liability Period”** is the period named in the Appendix to Conditions of Contract and calculated from the Completion Date.

**“Drawings”** include calculations and other information provided or approved by the Employer’s Representative for the execution of the Contract.

**“Employer”** Includes Central or Local Government administration, Universities, Public Institutions and Corporations and is the party who employs the Contractor to carry out the Works.



**“Equipment”** is the Contractor’s machinery and vehicles brought temporarily to the Site for the execution of the Works.

**“Site”** means the place or places where the permanent Works are to be carried out including workshops where the same is being prepared.

**“Materials”** are all supplies, including consumables, used by the Contractor for incorporation in the Works.

**“Employer’s Representative”** is the person appointed by the Employer and notified to the Contractor for the purpose of supervision of the Works.

**“Specification”** means the Specification of the Works included in the Contract.

**“Start Date”** is the date when the Contractor shall commence execution of the Works.

**“ A Subcontractor”** is a person or corporate body who has a Contract with the Contractor to carry out a part of the Work in the Contract, which includes Work on the Site.

**“Temporary works”** are works designed, constructed, installed, and removed by the Contractor which are needed for construction or installation of the Works.

**“A Variation”** is an instruction given by the Employer’s Representative which varies the Works.

**“The Works”** are what the Contract requires the Contractor to construct, install, and turnover to the Employer.

## **2. Contract Documents**

2.1 The following documents shall constitute the Contract documents and shall be interpreted in the following order of priority;

- (1) Agreement,
- (2) Letter of Acceptance,
- (3) Contractor’s Tender,
- (4) Conditions of Contract,
- (5) Specifications,
- (6) Drawings,
- (7) Bills of Quantities or Schedule of Rates [whichever is applicable]

## **3. Employer’s Representative’s Decisions**

3.1 Except where otherwise specifically stated, the Employer’s Representative will decide contractual matters between the Employer and the Contractor in the role representing the Employer.

#### **4. Works, Language and Law of Contract**

- 4.1 The Contractor shall construct and install the Works in accordance with the Contract documents. The Works may commence on the Start Date and shall be carried out in accordance with the Program submitted by the Contractor, as updated with the approval of the Employer's Representative, and complete them by the Intended Completion Date.
- 4.2 The ruling language of the Contract shall be English language and the law governing the Contract shall be the law of the Republic of Kenya.

#### **5. Safety, Temporary works and Discoveries**

- 5.1 The Contractor shall be responsible for design of temporary works and shall obtain approval of third parties to the design of the temporary works where required.
- 5.2 The Contractor shall be responsible for the safety of all activities on the Site.
- 5.3 Any thing of historical or other interest or significant value unexpectedly discovered on the Site shall be the property of the Employer. The Contractor shall notify the Employer's Representative of such discoveries and carry out the Employer's Representative's instructions for dealing with them.

#### **6 Work Program and Sub-contracting**

- 6.1 Within seven days after Site possession date, the Contractor shall submit to the Employer's Representative for approval a program showing the general methods, arrangements, order and timing for all the activities in the Works.
- 6.2 The Contractor may sub-contract the Works (but only to a maximum of 25 percent of the Contract Price) with the approval of the Employer's Representative. However, he shall not assign the Contract without the approval of the Employer in writing. Sub-contracting shall not alter the Contractor's obligations.

#### **7 The site**

- 7.1 The Employer shall give possession of all parts of the Site to the Contractor.
- 7.2 The Contractor shall allow the Employer's Representative and any other person authorised by the Employer's Representative ,access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.

## **8 Instructions**

- 8.1 The Contractor shall carry out all instructions of the Employer's Representative which are in accordance with the Contract.

## **9 Extension of Completion Date**

- 9.1 The Employer's Representative shall extend the Completion Date if an occurrence arises which makes it impossible for completion to be achieved by the Intended Completion Date. The Employer's Representative shall decide whether and by how much to extend the Completion Date.

- 9.2 For the purposes of this clause, the following occurrences shall be valid for consideration;

Delay by:-

- (a) force majeure, or
- (b) reason of any exceptionally adverse weather conditions, or
- (c) reason of civil commotion, strike or lockout affecting any of the trades employed upon the Works or any of the trades engaged in the preparation, manufacture or transportation of any of the goods or materials required for the Works, or
- (d) reason of the Employer's Representative's instructions issued under these Conditions, or
- (e) reason of the contractor not having received in due time necessary instructions, drawings, details or levels from the Employer's Representative for which he specifically applied in writing on a date which having regard to the date for Completion stated in the appendix to these Conditions or to any extension of time then fixed under this clause was neither unreasonably distant from nor unreasonably close to the date on which it was necessary for him to receive the same, or
- (f) delay on the part of artists, tradesmen or others engaged by the Employer in executing work not forming part of this Contract, or
- (g) reason of delay by statutory or other services providers or similar bodies engaged directly by the Employer, or
- (h) reason of opening up for inspection of any Work covered up or of the testing or any of the Work, materials or goods in accordance with these conditions unless the inspection or test showed that the Work, materials or goods were not in accordance with this Contract, or

- (i) reason of delay in appointing a replacement Employer's Representative, or
- (j) reason of delay caused by the late supply of goods or materials or in executing Work for which the Employer or his agents are contractually obliged to supply or to execute as the case may be, or
- (k) delay in receiving possession of or access to the Site.

## **10 Management Meetings**

- 10.1 A Contract management meeting shall be held regularly and attended by the Employer's Representative and the Contractor. Its business shall be to review the plans for the remaining Work. The Employer's Representative shall record the business of management meetings and provide copies of the record to those attending the meeting and the Employer. The responsibility of the parties for actions to be taken shall be decided by the Employer's Representative either at the management meeting or after the management meeting and stated in writing to all who attend the meeting.
- 10.2 Communication between parties shall be effective only when in writing.

## **11 Defects**

- 11.1 The Employer's Representative shall inspect the Contractor's work and notify the Contractor of any defects that are found. Such inspection shall not affect the Contractor's responsibilities. The Employer's Representative may instruct the Contractor to search for a defect and to uncover and test any Work that the Employer's Representative considers may have a defect. Should the defect be found, the cost of uncovering and making good shall be borne by the Contractor. However if there is no defect found, the cost of uncovering and making good shall be treated as a variation and added to the Contract Price.
- 11.2 The Employer's Representative shall give notice to the Contractor of any defects before the end of the Defects Liability Period, which begins at Completion, and is defined in the Appendix to Conditions of Contract.
- 11.3 Every time notice of a defect is given, the Contractor shall correct the notified defect within the length of time specified by the Employer's Representative's notice. If the Contractor has not corrected a defect within the time specified in the Employer's Representative's notice, the Employer's Representative will assess the cost of having the defect corrected by other parties and such cost shall be treated as a variation and be deducted from the Contract Price.

## **12 Bills of Quantities/Schedule of Rates**

- 12.1 The Bills of Quantities/Schedule of Rates shall contain items for the construction, installation, testing and commissioning of the Work to be done by the Contractor. The Contractor will be paid for the quantity of the Work done at the rates in the Bills of Quantities/Schedule of Rates for each item. Items against which no rate is entered by the Tenderer will not be paid for when executed and shall be deemed covered by the rates for other items in the Bills of Quantities/Schedule of Rates.
- 12.2 Where Bills of Quantities do not form part of the Contract, the Contract Price shall be a lump sum (which shall be deemed to have been based on the rates in the Schedule of Rates forming part of the tender) and shall be subject to re-measurement after each stage.

## **13 Variations**

- 13.1 The Contractor shall provide the Employer's Representative with a quotation for carrying out the variations when requested to do so. The Employer's Representative shall assess the quotation and shall obtain the necessary authority from the Employer before the variation is ordered.
- 13.2 If the Work in the variation corresponds with an item description in the Bill of Quantities/Schedule of Rates, the rate in the Bill of Quantities/Schedule of Rates shall be used to calculate the value of the variation. If the nature of the Work in the variation does not correspond with items in the Bill of Quantities/Schedule of Rates, the quotation by the Contractor shall be in the form of new rates for the relevant items of Work.
- 13.3 If the Contractor's quotation is unreasonable, the Employer's Representative may order the variation and make a change to the Contract Price, which shall be based on the Employer's Representative's own forecast of the effects of the variation on the Contractor's costs.

## **14 Payment Certificates and Final Account**

- 14.1 The Contractor shall be paid after each of the following stages of Work listed herebelow (subject to re-measurement by the Employer's Representative of the Work done in each stage before payment is made). In case of lump-sum Contracts, the valuation for each stage shall be based on the quantities so obtained in the re-measurement and the rates in the Schedule of Rates.

- (i) Advance payment \_\_\_\_\_ (*percent of Contract Price,*  
[after Contract execution] *to be inserted by the Employer.*)

- (ii) First stage (*define stage*) \_\_\_\_\_
- (iii) Second stage (*define stage*) \_\_\_\_\_
- (iv) Third stage (*define stage*) \_\_\_\_\_
- (v) After defects liability period.

14.2 Upon deciding that Works included in a particular stage are complete, the Contractor shall submit to the Employer's Representative his application for payment. The Employer's Representative shall check, adjust if necessary and certify the amount to be paid to the Contractor within 21 days of receipt of the Contractor's application. The Employer shall pay the Contractor the amounts so certified within 30 days of the date of issue of each Interim Certificate.

14.3 The Contractor shall supply the Employer's Representative with a detailed final account of the total amount that the Contractor considers payable under the Contract before the end of the Defects Liability Period. The Employer's Representative shall issue a Defect Liability Certificate and certify any final payment that is due to the Contractor within 30 days of receiving the Contractor's account if it is correct and complete. If it is not, the Employer's Representative shall issue within 21 days a schedule that states the scope of the corrections or additions that are necessary. If the final account is still unsatisfactory after it has been resubmitted, the Employer's Representative shall decide on the amount payable to the Contractor and issue a Final Payment Certificate. The Employer shall pay the Contractor the amount so certified within 60 days of the issue of the Final Payment Certificate.

14.4 If the period laid down for payment to the Contractor upon each of the Employer's Representative's Certificate by the Employer has been exceeded, the Contractor shall be entitled to claim simple interest calculated pro-rata on the basis of the number of days delayed at the

Central Bank of Kenya's average base lending rate prevailing on the first day the payment becomes overdue. The Contractor will be required to notify the Employer within 15 days of receipt of delayed payments of his intentions to claim interest.

## **15. Insurance**

15.1 The Contractor shall be responsible for and shall take out appropriate cover against, among other risks, personal injury; loss of or damage to the Works, materials and plant; and loss of or damage to property.

## **16. Liquidated Damages**

16.1 The Contractor shall pay liquidated damages to the Employer at the rate 0.001 per cent of the Contract price per day for each day that the actual Completion Date is later than the Intended Completion Date except in the case of any of the occurrences listed under clause 9.2. The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not affect the Contractor's liabilities.

## **17. Completion and Taking Over**

17.1 Upon deciding that the Work is complete the Contractor shall request the Employer's Representative to issue a Certificate of Completion of the Works, upon deciding that the Work is completed.

The Employer shall take over the Site and the Works within seven days of the Employer's Representative issuing a Certificate of Completion.

## **18. Termination**

18.1 The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract. These fundamental breaches of Contract shall include, but shall not be limited to, the following;

- (a) the Contractor stops Work for 30 days continuously without reasonable cause or authority from the Employer's Representative;
- (b) the Contractor is declared bankrupt or goes into liquidation other than for a reconstruction or amalgamation;
- (c) a payment certified by the Employer's Representative is not paid by the Employer to the Contractor within 30 days after the expiry of the payment periods stated in sub clauses 14.2 and 14.3 hereinabove.
- (d) the Employer's Representative gives notice that failure to correct a particular defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time.

18.2 If the Contract is terminated, the Contractor shall stop Work immediately, and leave the Site as soon as reasonably possible. The Employer's Representative shall immediately thereafter arrange for a meeting for the purpose of taking record of the Works executed and materials, goods, equipment and temporary buildings on Site.

## **19. Payment Upon Termination**

- 19.1 The Employer may employ and pay other persons to carry out and complete the Works and to rectify any defects and may enter upon the Works and use all materials on Site, plant, equipment and temporary works.
- 19.2 The Contractor shall, during the execution or after the completion of the Works under this clause, remove from the Site as and when required within such reasonable time as the Employer's Representative may in writing specify, any temporary buildings, plant, machinery, appliances, goods or materials belonging to him, and in default thereof, the Employer may (without being responsible for any loss or damage) remove and sell any such property of the Contractor, holding the proceeds less all costs incurred to the credit of the Contractor.
- 19.3 Until after completion of the Works under this clause, the Employer shall not be bound by any other provision of this Contract to make any payment to the Contractor, but upon such completion as aforesaid and the verification within a reasonable time of the accounts therefor the Employer's Representative shall certify the amount of expenses properly incurred by the Employer and, if such amount added to the money paid to the Contractor before such determination exceeds the total amount which would have been payable on due completion in accordance with this Contract, the difference shall be a debt payable to the Employer by the Contractor; and if the said amount added to the said money be less than the said total amount, the difference shall be a debt payable by the Employer to the Contractor.

## **20. Corrupt Gifts and Payments of Commission**

- 20.1 The Contractor shall not;
- (a) Offer or give or agree to give to any person in the service of the Employer any gifts or consideration of any kind as an inducement or reward for doing or forbearing to do or for having done or forborne to do any act in relation to the obtaining or execution of this or any other contract with the Employer or for showing or forbearing to show favour or disfavour to any person in relation to this or any other contract with the Employer.
  - (b) Any breach of this Condition by the Contractor or by anyone employed by him or acting on his behalf (whether with or without the knowledge of the Contractor) shall be an offence under the Laws of Kenya.



## **21. Settlement of Disputes**

21.1 Any dispute arising out of the Contract which cannot be amicably settled between the parties shall be referred by either party to the arbitration and final decision of a person to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator, the Arbitrator shall be appointed by the chairman of the Chartered Institute of Arbitrators, Kenya branch, on the request of the applying party.

## APPENDIX TO CONDITIONS OF CONTRACT

THE EMPLOYER IS

Name: Ministry of Interior and Coordination of National Government

Address: KWALE

Name of Employer's Representative:

Title; **COUNTY WORKS OFFICER/KWALE COUNTY.**

Telephone:

The name (and identification number) of the Contract is -----  
-----

The Works consist of **Proposed Extension to Vip Guest Wing (Main Block and Walk Way).**

The Start Date shall be **agreed with the P.M**

The Intended Completion Date for the whole of the Works shall be \_\_\_\_\_  
**weeks from the start date.**

The following documents also form part of the Contract; **agreement, letter of acceptance, contractors tender, conditions of contract, specifications, drawings, bills of quantities**

The Site Possession Date shall be **agreed with the project manager**

The Site is located at **Kwale Town** and is defined in drawings nos.

---

The Defects Liability Period is six **months from the date of practical completion**

Amount of Tender Security is ----- = (Note: This amount should be between one (0) percent and three (3) percent of the value of the Works)

The name and Address of the Employer for the purposes of submission of tenders is \_\_\_\_\_

The tender opening date and time is \_\_\_\_\_ **A:m** (*insert tender opening time*) on \_\_\_\_\_ day of \_\_\_\_\_ **200**\_\_\_\_(*insert date of tender opening*)

## **SECTION IV – SPECIFICATIONS, DRAWINGS AND BILLS OF QUANTITIES/SCHEDULE OF RATES**

### **I. SPECIFICATIONS**

#### **Notes for preparing Specifications**

- 1.0 Specifications must be drafted to present a clear and precise statement of the required standards of materials and workmanship for tenderers to respond realistically and competitively to the requirements of the Employer and ensure responsiveness of tenders. The Specifications should require that all materials, plant, and other supplies to be permanently incorporated in the Works be new, unused, of the most recent or current models and incorporating all recent improvements in designs and materials unless provided otherwise in the Contract.
- 2.0 Specifications from previous similar projects are useful and it may not be necessary to rewrite specifications for every works contract.
- 3.0 Care must be taken in drafting Specifications to ensure they are not restrictive. In the specification of standards for materials, plant and workmanship existing Kenya Standards should be used as much as possible otherwise recognized international standards may also be used.

### **II DRAWINGS**

- NOTE:
1. A list of the Contract Drawings should be inserted here
  2. The actual Contract Drawings including Site plans should be annexed in a separate booklet

### **III BILL OF QUANTITIES/SCHEDULE OF RATES**

#### **Notes for preparing Bills of Quantities**

1. The objectives of the Bills of Quantities are;
  - (a) to provide sufficient information on the quantities of Works to be performed to enable tenders to be prepared efficiently and accurately; and
  - (b) when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

## **Notes for preparing Schedule of Rates**

Where the time limit or other constraints do not allow the preparation of a Bill of Quantities for the Works, a lump-sum Contract shall be adopted and a Schedule of Rates (in place of a Bills of Quantities) shall be issued as part of the tender documents.

The objectives of the Schedule of Rates are;

- (a) to provide sufficient information on the nature of work items to be performed to enable tenders to be prepared efficiently and accurately; and
- (b) when a Contract has been entered into, to provide a basis for the pricing of Works executed for interim and final valuations.

In order to attain these objectives, Works should be itemized in the Schedule of Rates in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of Schedule of Rates should be as simple and brief as possible.

Measurement of Work executed after every agreed stage should be done and the quantities so obtained used alongside the rates in the schedule to arrive at interim valuation [for each stage]and the final valuation.

## **SECTION V**

### **STANDARD FORMS**

#### **List of Standard Forms**

- (i) Form of Invitation for Tenders**
- (ii) Form of Tender**
- (iii) Letter of Acceptance**
- (iv) Form of Agreement**
- (v) Form of Tender Security**
- (vi) Performance Bank Guarantee**
- (vii) Performance Bond**
- (viii) Bank Guarantee for Advance Payment**
- (ix) Qualification Information**
- (x) Tender Questionnaire**
- (xi) Confidential Business Questionnaire**
- (xii) Details of Sub-Contractors**

## FORM OF TENDER

TO: \_\_\_\_\_ [Name of Employer] \_\_\_\_\_ [Date]  
\_\_\_\_\_ [Name of Contract]

Dear Sir,

1. In accordance with the Conditions of Contract, Specifications, Drawings and Bills of Quantities/Schedule of Rates for the execution of the above named Works, we, the undersigned offer to construct, install and complete such Works and remedy any defects therein for the sum of Kshs. \_\_\_\_\_ [Amount in figures]/Kenya Shillings \_\_\_\_\_ [Amount in words]
2. We undertake, if our tender is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Employer's Representative's notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the Appendix to Conditions of Contract.
3. We agree to abide by this tender until \_\_\_\_\_ [Insert date], and it shall remain binding upon us and may be accepted at any time before that date.
4. Unless and until a formal Agreement is prepared and executed this tender together with your written acceptance thereof, shall constitute a binding Contract between us.
5. We understand that you are not bound to accept the lowest or any tender you may receive.

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_\_

Signature \_\_\_\_\_ in the capacity of \_\_\_\_\_

duly authorized to sign tenders for and on behalf of  
\_\_\_\_\_ [Name of Tenderer] of  
\_\_\_\_\_ [Address of Tenderer]

Witness; Name \_\_\_\_\_

Address \_\_\_\_\_

Signature \_\_\_\_\_

Date\_\_\_\_\_

*(Amend accordingly if provided by Insurance Company)*

**LETTER OF ACCEPTANCE**  
**[letterhead paper of the Employer]**

\_\_\_\_\_ *[date]*

To: \_\_\_\_\_  
*[name of the Contractor]*

\_\_\_\_\_  
*[address of the Contractor]*

Dear Sir,

This is to notify you that your Tender dated \_\_\_\_\_  
for the execution of \_\_\_\_\_  
*[name of the Contract and identification number, as given in the Tender documents]*  
for the Contract Price of Kshs. \_\_\_\_\_ *[amount in*  
*figures]* Kenya Shillings \_\_\_\_\_ *(amount in words)* ] in  
accordance with the Instructions to Tenderers is hereby accepted.

You are hereby instructed to proceed with the execution of the said Works in  
accordance with the Contract documents.

Authorized Signature .....

Name and Title of Signatory .....

Attachment : Agreement



## FORM OF AGREEMENT

THIS AGREEMENT, made the \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_ between \_\_\_\_\_ of [or whose registered office is situated at] \_\_\_\_\_ (hereinafter called “the Employer”) of the one part AND \_\_\_\_\_ of [or whose registered office is situated at] \_\_\_\_\_ (hereinafter called “the Contractor”) of the other part.

WHEREAS THE Employer is desirous that the Contractor executes

\_\_\_\_\_ (*name and identification number of Contract* ) (hereinafter called “the Works”) located at \_\_\_\_\_ [*Place/location of the Works*] and the Employer has accepted the tender submitted by the Contractor for the execution and completion of such Works and the remedying of any defects therein for the Contract Price of Kshs \_\_\_\_\_ [*Amount in figures*], Kenya Shillings \_\_\_\_\_ [*Amount in words*].

NOW THIS AGREEMENT WITNESSETH as follows:

1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
2. The following documents shall be deemed to form and shall be read and construed as part of this Agreement i.e.
  - (i) Letter of Acceptance
  - (ii) Form of Tender
  - (iii) Conditions of Contract Part I
  - (iv) Conditions of Contract Part II and Appendix to Conditions of Contract
  - (v) Specifications
  - (vi) Drawings
  - (vii) Priced Bills of Quantities/Priced Schedule of Rates [whichever is applicable]
3. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby

covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all respects with the provisions of the Contract.

4. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

The common Seal of \_\_\_\_\_

Was hereunto affixed in the presence of \_\_\_\_\_

Signed Sealed, and Delivered by the said \_\_\_\_\_

Binding Signature of Employer \_\_\_\_\_

Binding Signature of Contractor \_\_\_\_\_

In the presence of (i) Name \_\_\_\_\_

Address \_\_\_\_\_

Signature \_\_\_\_\_

[ii] Name \_\_\_\_\_

Address \_\_\_\_\_

Signature \_\_\_\_\_

## FORM OF TENDER SECURITY

WHEREAS .....(hereinafter called “the Tenderer”) has submitted his tender dated ..... for the construction of .....  
..... (name of Contract)

KNOW ALL PEOPLE by these presents that WE ..... having our registered office at .....(hereinafter called “the Bank”), are bound unto .....(hereinafter called “the Employer”) in the sum of Kshs..... for which payment well and truly to be made to the said Employer, the Bank binds itself, its successors and assigns by these presents sealed with the Common Seal of the said Bank this ..... Day of .....20.....

THE CONDITIONS of this obligation are:

1. If after tender opening the tenderer withdraws his tender during the period of tender validity specified in the instructions to tenderers  
Or
2. If the tenderer, having been notified of the acceptance of his tender by the Employer during the period of tender validity:
  - (a) fails or refuses to execute the form of Agreement in accordance with the Instructions to Tenderers, if required; or
  - (b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Tenderers;

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including thirty (30) days after the period of tender validity, and any demand in respect thereof should reach the Bank not later than the said date.

\_\_\_\_\_  
[date]

\_\_\_\_\_  
[signature of the Bank]

\_\_\_\_\_  
[witness]

\_\_\_\_\_  
[seal]

## **PERFORMANCE BANK GUARANTEE**

To: \_\_\_\_\_(Name of Employer)\_\_\_\_\_ (Date)  
\_\_\_\_\_ (Address of Employer)

Dear Sir,

WHEREAS \_\_\_\_\_(hereinafter called “the Contractor”) has undertaken, in pursuance of Contract No. \_\_\_\_\_ dated \_\_\_\_\_ to execute \_\_\_\_\_ (hereinafter called “the Works”);

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee by a recognised bank for the sum specified therein as security for compliance with his obligations in accordance with the Contract;

AND WHEREAS we have agreed to give the Contractor such a Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you, on behalf of the Contractor, up to a total of Kshs. \_\_\_\_\_ (amount of Guarantee in figures) Kenya Shillings \_\_\_\_\_ (amount of Guarantee in words), and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of Kenya Shillings \_\_\_\_\_ (amount of Guarantee in words) as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the Contractor before presenting us with the demand.

We further agree that no change, addition or other modification of the terms of the Contract or of the Works to be performed thereunder or of any of the Contract documents which may be made between you and the Contractor shall in any way release us from any liability under this Guarantee, and we hereby waive notice of any change, addition, or modification.

This guarantee shall be valid until the date of issue of the Certificate of Completion.

SIGNATURE AND SEAL OF THE GUARANTOR \_\_\_\_\_

Name of Bank \_\_\_\_\_

Address \_\_\_\_\_

Date \_\_\_\_\_

(Amend accordingly if provided by Insurance Company)

## PERFORMANCE BOND

By this Bond, We \_\_\_\_\_ of (or whose registered office is situated at] \_\_\_\_\_ as Principal (hereinafter called “the Contractor”) and \_\_\_\_\_ of [or whose registered office is situated at] \_\_\_\_\_ as Surety (hereinafter called “the Surety”), are held and firmly bound unto \_\_\_\_\_ of [or whose registered office is situated at] \_\_\_\_\_ as Obligee (hereinafter called “the Employer”) in the amount of Kshs. \_\_\_\_\_ [amount of Bond in figures] Kenya Shillings

\_\_\_\_\_ [amount of Bond in words], for the payment of which sum well and truly, the Contractor and the Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Contractor has entered into a Contract with the Employer dated the \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_ for the execution of

\_\_\_\_\_ [name of Contract] in accordance with the Contract documents, Specifications and amendments thereto, which to the extent herein provided for, are by reference made part hereof and are hereinafter referred to as the Contract.

NOW THEREFORE, the Condition of this Obligation is such that, if the Contractor shall promptly and faithfully perform the said Contract (including any amendments thereto), then this obligation shall be null and void; otherwise it shall remain in full force and effect. Whenever the Contractor shall be, and declared by the Employer to be, in default under the Contract, the Employer having performed the Employer’s obligations thereunder, the Surety may promptly remedy the default, or shall promptly:

- (1) complete the Contract in accordance with its terms and conditions; or
- (2) obtain a tender or tenders from qualified tenderers for submission to the Employer for completing the Contract in accordance with its terms and conditions, and upon determination by the Employer and the Surety of the lowest responsive tenderer, arrange for a Contract between such tenderer and Employer and make available as work progresses (even though there should be a default or a succession of defaults under the Contract or Contracts of completion arranged under this paragraph) sufficient funds to pay the cost of completion less the balance of the Contract Price; but not exceeding, including other costs and damages for which the Surety may be liable hereunder, the amount set forth in the first paragraph hereof.

The term "Balance of the Contract Price", as used in this paragraph, shall mean the total amount payable by the Employer to the Contractor under the

Contract, less the amount properly paid by the Employer to the Contractor;  
or

- (3) pay the Employer the amount required by the Employer to complete the Contract in accordance with its terms and conditions up to a total not exceeding the amount of this Bond.

The Surety shall not be liable for a greater sum than the specified penalty of this Bond.

Any suit under this Bond must be instituted before the expiration of one year from the date of issuance of the Certificate of Completion.

No right of action shall accrue on this Bond to or for the use of any person or corporation other than the Employer named herein or the heirs, executors, administrators, successors and assigns of the Employer.

In testimony whereof, the Contractor has hereunto set his hand and affixed his seal, and the Surety has caused these presents to be sealed with his corporate seal duly attested by the signature of his legal representative, this \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_\_

SIGNED ON \_\_\_\_\_ SIGNED ON \_\_\_\_\_

On behalf of \_\_\_\_\_ On behalf of \_\_\_\_\_  
[name of Contractor] [name of Surety]

By \_\_\_\_\_ By \_\_\_\_\_

In the capacity of \_\_\_\_\_ In the capacity of \_\_\_\_\_

In the presence of;Name \_\_\_\_\_ In the presence of;Name \_\_\_\_\_

Address \_\_\_\_\_

Address \_\_\_\_\_

Signature \_\_\_\_\_

Signature \_\_\_\_\_

Date \_\_\_\_\_

Date \_\_\_\_\_

## **BANK GUARANTEE FOR ADVANCE PAYMENT**

To: \_\_\_\_\_ *[name of Employer]* \_\_\_\_\_ *(Date)*  
\_\_\_\_\_ *[address of Employer]*

Gentlemen,

Ref: \_\_\_\_\_ *[name of Contract]*

In accordance with the provisions of the Conditions of Contract of the above-mentioned Contract, We, \_\_\_\_\_ *[name and Address of Contractor]* (hereinafter called "the Contractor") shall deposit with \_\_\_\_\_ *[name of Employer]* a bank guarantee to guarantee his proper and faithful performance under the said Contract in an amount of Kshs. \_\_\_\_\_ *[amount of Guarantee in figures]* Kenya Shillings \_\_\_\_\_ *[amount of Guarantee in words]*.

We, \_\_\_\_\_ *[bank or financial institution]*, as instructed by the Contractor, agree unconditionally and irrevocably to guarantee as primary obligator and not as Surety merely, the payment to \_\_\_\_\_ *[name of Employer]* on his first demand without whatsoever right of objection on our part and without his first claim to the Contractor, in the amount not exceeding Kshs \_\_\_\_\_ *[amount of Guarantee in figures]* Kenya Shillings \_\_\_\_\_ *[amount of Guarantee in words]*, such amount to be reduced periodically by the amounts recovered by you from the proceeds of the Contract.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed thereunder or of any of the Contract documents which may be made between \_\_\_\_\_ *[name of Employer]* and the Contractor, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

No drawing may be made by you under this guarantee until we have received notice in writing from you that an advance payment of the amount listed above has been paid to the Contractor pursuant to the Contract.

This guarantee shall remain valid and in full effect from the date of the advance payment under the Contract until \_\_\_\_\_ (*name of Employer*) receives full payment of the same amount from the Contract.

Yours faithfully,

Signature and Seal \_\_\_\_\_

Name of the Bank or financial institution \_\_\_\_\_

Address \_\_\_\_\_

Date \_\_\_\_\_

Witness: Name: \_\_\_\_\_

Address: \_\_\_\_\_

Signature: \_\_\_\_\_

Date: \_\_\_\_\_



# QUALIFICATION INFORMATION

## 1. Individual Tenderers or Individual Members of Joint Ventures

1.1 Constitution or legal status of tenderer (attach copy or Incorporation Certificate);

Place of registration: \_\_\_\_\_

Principal place of business \_\_\_\_\_

Power of attorney of signatory of tender \_\_\_\_\_

1.2 Total annual volume of construction work performed in the last five years

Year	Volume	
	Currency	Value

1.3 Work performed as Main Contractor on works of a similar nature and volume over the last five years. Also list details of work under way or committed, including expected completion date.

Project name	Name of client and contact person	Type of work performed and year of completion	Value of Contract
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

1.4 Major items of Contractor's Equipment proposed for carrying out the Works. List all information requested below.

Item of Equipment	Description, Make and age (years)	Condition(new, good, poor) and number available	Owned, leased (from whom?), or to be purchased (from whom?)
_____	_____	_____	
_____	_____	_____	
_____	_____	_____	
(etc.)			

- 1.5 Qualifications and experience of key personnel proposed for administration and execution of the Contract. Attach biographical data.

Position	Name	Years of experience (general)	Years of experience in proposed position
Project Manager			
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
(etc.)			

- 1.6 Financial reports for the last five years: balance sheets, profit and loss statements, auditor's reports, etc. List below and attach copies.

---



---

- 1.7 Evidence of access to financial resources to meet the qualification requirements: cash in hand, lines of credit, etc. List below and attach copies of supportive documents.

---



---



---

- 1.8 Name, address and telephone, telex and facsimile numbers of banks that may provide reference if contacted by the Employer.

---



---

- 1.9 Statement of compliance with the requirements of Clause 1.2 of the Instructions to Tenderers.

---



---



---

- 1.10 Proposed program (work method and schedule) for the whole of the Works.

## **2 Joint Ventures**

- 2.4 The information listed in 1.1 – 1.10 above shall be provided for each partner of the joint venture.
- 2.5 The information required in 1.11 above shall be provided for the joint venture.
- 2.6 Attach the power of attorney of the signatory(ies) of the tender authorizing signature of the tender on behalf of the joint venture
- 2.7 Attach the Agreement among all partners of the joint venture ( and which is legally binding on all partners), which shows that:
  - a) all partners shall be jointly and severally liable for the execution of the Contract in accordance with the Contract terms;
  - b) one of the partners will be nominated as being in charge, authorized to incur liabilities and receive instructions for and on behalf of any and all partners of the joint venture; and
  - c) the execution of the entire Contract, including payment, shall be done exclusively with the partner in charge.

# TENDER QUESTIONNAIRE

Please fill in block letters.

1. Full names of tenderer;  
.....
2. Full address of tenderer to which tender correspondence is to be sent (unless an agent has been appointed below);  
.....
3. Telephone number (s) of tenderer;  
.....
4. Telex of tenderer;  
.....
5. Name of tenderer's representative to be contacted on matters of the tender during the tender period;  
.....
6. Details of tenderer's nominated agent (if any) to receive tender notices. This is essential if the tenderer does not have his registered address in Kenya (name, address, telephone, telex);  
.....  
.....

\_\_\_\_\_  
Signature of Tenderer

Make copy and deliver to: \_\_\_\_\_ (*Name of Employer*)

# **CONFIDENTIAL BUSINESS QUESTIONNAIRE**

You are requested to give the particulars indicated in Part 1 and either Part 2 (a), 2 (b) or whichever applies to your type of business.

You are advised that it is a serious offence to give false information on this Form.

## *Part 1 – General*

Business Name .....

Location of business premises; Country/Town.....

Plot No..... Street/Road .....

Postal Address..... Tel No.....

Nature of Business.....

Current Trade Licence No..... Expiring date.....

Maximum value of business which you can handle at any time: K.  
pound.....

Name of your bankers.....

Branch.....

## *Part 2 (a) – Sole Proprietor*

Your name in full..... Age.....

Nationality..... Country of Origin.....

Citizenship details .....

## *Part 2 (b) – Partnership*

*Give details of partners as follows:*

	<i>Name in full</i>	<i>Nationality</i>	<i>Citizenship Details</i>	<i>Shares</i>
1	.....	.....	.....	.....
2	.....	.....	.....	.....
3	.....	.....	.....	.....

## **DETAILS OF SUB-CONTRACTORS**

If the Tenderer wishes to sublet any portions of the Works under any heading, he must give below details of the sub-contractors he intends to employ for each portion.

Failure to comply with this requirement may invalidate the tender.

(1) Portion of Works to be sublet: .....

(i) Full name of Sub-contractor  
and address of head office: .....

.....

(ii) Sub-contractor's experience  
of similar works carried out  
in the last 3 years with  
Contract value: .....

.....

.....

(2) Portion of Works to sublet: .....

(i) Full name of sub-contractor  
and address of head office: .....

.....

.....

(ii) Sub-contractor's experience  
of similar works carried out  
in the last 3 years with  
contract value: .....

.....

\_\_\_\_\_  
[Signature of Tenderer)

\_\_\_\_\_  
Date

**LETTER OF NOTIFICATION OF AWARD**

Address of Procuring Entity

\_\_\_\_\_  
\_\_\_\_\_

To: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

RE: Tender No. \_\_\_\_\_

Tender Name \_\_\_\_\_

This is to notify that the contract/s stated below under the above mentioned tender have been awarded to you.

\_\_\_\_\_  
\_\_\_\_\_

1. Please acknowledge receipt of this letter of notification signifying your acceptance.
2. The contract/contracts shall be signed by the parties within 30 days of the date of this letter but not earlier than 14 days from the date of the letter.
3. You may contact the officer(s) whose particulars appear below on the subject matter of this letter of notification of award.

*(FULL PARTICULARS)* \_\_\_\_\_  
\_\_\_\_\_

SIGNED FOR ACCOUNTING OFFICER

ITEM	DESCRIPTION	KSHS	CTS
	<p><b>GENERAL PRELIMINARIES</b></p> <p><b>A. PRICING OF ITEMS OF PRELIMINARIES AND PREAMBLES</b></p> <p><b>Prices will be inserted against items of Preliminaries in the Contractor's priced Bills of Quantities and Specification.</b></p> <p>The Contractor shall be deemed to have included in his prices or rates for the various items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract.</p> <p><b>B. ABBREVIATIONS</b></p> <p>Throughout these Bills, units of measurement and terms are abbreviated and shall be interpreted as follows:-</p> <p><i>C.M.</i>                      Shall mean cubic metre</p> <p><i>S.M.</i>                      Shall mean square metre</p> <p><i>L.M.</i>                      Shall mean linear metre</p> <p><i>MM</i>                        Shall mean Millimetre</p> <p><i>Kg.</i>                        Shall mean Kilogramme</p> <p><i>No.</i>                        Shall mean Number</p> <p><i>Prs.</i>                        Shall mean Pairs</p> <p><i>B.S.</i>                        Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England.</p> <p><i>Ditto</i>                      Shall mean the whole of the preceding description except as qualified in the description in which it occurs.</p> <p><i>m.s.</i>                        Shall mean measured separately.</p> <p><i>a.b.d</i>                        Shall mean as before described.</p>		
	<i>Carried to collection</i>		



ITEM	DESCRIPTION	KSHS	CTS
<b>A.</b>	<p><b>EXCEPTION TO THE STANDARD METHOD OF MEASUREMENT</b></p> <p><i>Attendance</i> ; Clause B19(a) of the Standard Method of Measurement is deleted and the following clause is substituted:-</p> <p>Attendance on nominated Sub-Contractors shall be given as an item in each case shall be deemed to include: allowing use of standing scaffolding, mess rooms, sanitary accommodation and welfare facilities; provision of special scaffolding where necessary; providing space for office accommodation and for storage of plant and materials; providing light and water for their work: clearing away rubbish; unloading checking and hoisting: providing electric power and removing and replacing duct covers, pipe casings and the like necessary for the execution and testing of Sub- Contractors' work and being responsible for the accuracy of the same.</p> <p><i>Fix Only</i>:-</p> <p>"Fix Only" shall mean take delivery at nearest railway station (Unless otherwise stated), pay all demurrage charges, load and transport to site where necessary, unload, store, unpack, assemble as necessary, distribute to position, hoist and fix only.</p>		
<b>B.</b>	<p><b>EMPLOYER</b></p> <p>The "Employer" is the <b>Government of Kenya</b>.</p>		
<b>C.</b>	<p><b>PROJECT MANAGER</b></p> <p>The term "P.M." wherever used in these Bills of Quantities shall be deemed to imply the Project Manager as defined in Condition 1 of the Conditions of Contract or such person or persons as may be duly authorised to represent him on behalf of the Government.</p>		
<b>D.</b>	<p><b>ARCHITECT</b></p> <p>The term "Architect" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is Ministry of Public Works, P.O. Box 30743, NAIROBI.</p>		
<b>E.</b>	<p><b>QUANTITY SURVEYOR</b></p> <p>The term "Quantity Surveyor" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is Ministry of Public Works, P.O. Box 30743, NAIROBI.</p>		
<i>Carried to collection</i>			

ITEM	DESCRIPTION	KSHS	CTS
------	-------------	------	-----

ITEM	DESCRIPTION	KSHS	CTS
A.	<p><b>ELECTRICAL ENGINEER</b></p> <p>The term "Electrical Engineer" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is Ministry of Public Works, P.O. Box 30743, NAIROBI.</p>		
B.	<p><b>MECHANICAL ENGINEER</b></p> <p>The term "Mechanical Engineer" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is Ministry of Public Works, P.O. Box 30743, NAIROBI.</p>		
	<p><b>STRUCTURAL ENGINEER</b></p>		
C.	<p>The term "Structural Engineer" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is Ministry of Public Works, P.O. Box 30743, NAIROBI.</p>		
	<p><b>FORM OF CONTRACT</b></p>		
D.	<p>The Form of Contract shall be as stipulated in the Republic of Kenya's Standard Tender Document for Procurement of Works(small works)(2006 Edition) included herein.</p> <p>The Conditions of Contract are also included herein</p> <p><i>Conditions of Contract</i></p> <p>These are numbered from 1 to 37 as set out in pages <b>18 to 38</b> of these tender documents.</p> <p>Particulars of insertions to be made in the Appendix to the Contract Agreement will be found in the Particular Preliminaries part of these Bills of Quantities</p>		
E.	<p><b>BOND.</b></p> <p>The Contractor shall find and submit on the Form of Tender and <b>approved bank</b> and who will be willing to be bound to the <b>Government of Kenya</b> in an amount equal to <b>Five per cent (5%)</b> of the Contract amount for the due performances of the Contract up to the date of completion as certified by the PROJECT MANAGER and who will when and if called upon, sign a Bond to that effect on the relevant standard form included herein. (without the addition of any limitations) on the same day as the Contract Agreement is signed, by the <b>Government of Kenya</b>, the Contractor shall furnish within seven days another Surety to the approval of the <b>Government of Kenya</b>.</p>		
	<p><i>Carried to collection</i></p>		

ITEM	DESCRIPTION	KSHS	CTS
------	-------------	------	-----

ITEM	DESCRIPTION	KSHS	CTS
A.	<p><b>PLANT, TOOLS AND VEHICLES</b></p> <p>Allow for providing all scaffolding, plant, tools and vehicles required for the works except in so far as may be stated otherwise herein and except for such items specifically and only required for the use of nominated Sub-Contractors as described herein. No timber used for scaffolding, formwork or temporary works of any kind shall be used afterwards in the permanent work.</p>		
B.	<p><b>TRANSPORT.</b></p> <p>Allow for transport of workmen, materials, etc., to and from the site at such hours and by such routes as may be permitted by the competent authorities.</p>		
C.	<p><b>MATERIALS AND WORKMANSHIP.</b></p> <p>quality and description unless otherwise stated. The Contractor shall order all materials to be obtained from overseas immediately after the Contract is signed and shall also order materials to be obtained from local sources as early as necessary to ensure that they are onsite when required for use in the works. The Bills of Quantities shall not be used for the purpose of ordering materials.</p>		
D.	<p><b>SIGN FOR MATERIALS SUPPLIED.</b></p> <p>The Contractor will be required to sign a receipt for all articles and materials supplied by the PROJECT MANAGER at the time of taking deliver thereof, as having received them in good order and condition, and will thereafter be responsible for any loss or damage and for replacements of any such loss or damage with articles and/or materials which will be supplied by the PROJECT MANAGER at the current market prices including Customs Duty and V.A.T., all at the Contractor's own cost and expense, to the satisfaction of the PROJECT MANAGER</p>		
E.	<p><b>STORAGE OF MATERIALS</b></p> <p>The Contractor shall provide at his own risk and cost where directed on the site weather proof lock-up sheds and make good damaged or disturbed surfaces upon completion to the satisfaction of the PROJECT MANAGER Nominated Sub-Contractors are to be made liable for the cost of any storage accommodation provided especially for their use.</p>		
F	<p><b>SIGN BOARD</b></p> <p>Allow for providing, erecting ,maintaining throughout the course of the contract and afterwards clearing away a signboard as designed,specified and approved by the Project Manager.</p>		
<i>Carried to collection</i>		0	

ITEM	DESCRIPTION	KSHS	CTS
<b>A.</b>	<p><b>SAMPLES</b></p> <p>The Contractor shall furnish at his own cost any samples of materials or workmanship including concrete test cubes required for the works that may be called for by the PROJECT MANAGER for his approval until such samples are approved by the PROJECT MANAGER and the PROJECT MANAGER, may reject any materials or workmanship not in his opinion to be up to approved samples. The PROJECT MANAGER shall arrange for the testing of such materials as he may at his discretion deem desirable, but the testing shall be made at the expense of the Contractor and not at the expense of the PROJECT MANAGER. The Contractor shall pay for the testing in accordance with the current scale of testing charges laid down by the Ministry of Public Works.</p> <p>The procedure for submitting samples of materials for testing and the method of marking for identification shall be as laid down by the PROJECT MANAGER The Contractor shall allow in his tender for such samples and tests except those in connection with nominated sub-contractors' work.</p>		
<b>B.</b>	<p><b>GOVERNMENT ACTS REGARDING WORKPEOPLE ETC.</b></p> <p>Allow for complying with all Government Acts, Orders and Regulations in connection with the employment of Labour and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1950 and his tender must include for all costs arising or resulting from compliance with any Act, Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople.</p> <p>The Contractor must make himself fully acquainted with current Acts and Regulations, including Police Regulations regarding the movement, housing, security and control of labour, labour camps , passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullest information regarding all such regulations and/or restrictions which may affect the organisation of the works, supply and control of labour, etc., and allow accordingly in his tender. No claim in respect of want of knowledge in this connection will be entertained.</p>		
<b>C.</b>	<p><b>SECURITY OF WORKS ETC.</b></p> <p>The Contractor shall be entirely responsible for the security of all the works stores, materials, plant, personnel, etc., both his own and sub-contractors' and must provide all necessary watching, lighting and other precautions as necessary to ensure security against theft, loss or damage and the protection of the public.</p>		
<b>D.</b>	<p><b>SETTING OUT</b></p> <p>The Contractor shall be responsible for the full setting out of the works and the maintenance thereof</p>		
<i>Carried to collection</i>			

ITEM	DESCRIPTION	KSHS	CTS
------	-------------	------	-----

ITEM	DESCRIPTION	KSHS	CTS
------	-------------	------	-----

ITEM	DESCRIPTION	KSHS	CTS
A.	<p><b>PUBLIC AND PRIVATE ROADS.</b></p> <p>Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER</p>		
B.	<p><b>EXISTING PROPERTY.</b></p> <p>The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER</p>		
C.	<p><b>VISIT SITE AND EXAMINE TENDER DOCUMENTS.</b></p> <p>The Contractor is recommended to examine the tender documents and visit the site location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.</p>		
D.	<p><b>ACCESS TO SITE AND TEMPORARY ROADS.</b></p> <p>Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER.</p>		
E.	<p><b>AREA TO BE OCCUPIED BY THE CONTRACTOR</b></p> <p>The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting workshops, etc., shall be defined on site by the PROJECT MANAGER</p>		
<i>Carried to collection</i>			

ITEM	DESCRIPTION	KSHS	CTS
<b>A.</b>	<p><b>OFFICE ETC. FOR THE PROJECT MANAGER</b></p> <p>The Contractor shall provide, erect and maintain where directed on site and afterwards dismantle the Site Office of the Type A design measuring 4500 x 3500 mm, complete with furniture. He shall also provide a strong metal trunk complete with strong hasp and staple fastening and two keys. He shall provide, erect and maintain a lock-up pedestal type water or bucket closet for the sole use of the "PROJECT MANAGER". Including making temporary connections to the drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide the services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from the commencement to the completion of the works and dismantle and make good disturbed surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by the "PROJECT MANAGER" a modern and accurate level together with leveling staff, ranging rods and 50 metre metallic or linen tape.</p>		
<b>B.</b>	<p><b>WATER AND ELECTRICITY SUPPLY FOR THE WORKS</b></p> <p>The Contractor shall provide at his own risk and cost all necessary water, electric light and power required for use in the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER . The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for augmenting this supply at his own cost. Nominated Sub--contractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own use.</p>		
<b>C.</b>	<p><b>SANITATION OF THE WORKS</b></p> <p>The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER</p>		
<b>D.</b>	<p><b>SUPERVISION AND WORKING HOURS</b></p> <p>The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.</p>		
<b>E.</b>	<p><b>PROVISIONAL SUMS.</b></p> <p>The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement mentioned in Condition No. 16 of the conditions of Contract. Such sums are net and no addition shall be made to them for profit.</p>		
<i>Carried to collection</i>			

ITEM	DESCRIPTION	KSHS	CTS
ITEM	DESCRIPTION	KSHS	CTS
A.	<p><b>PRIME COST (OR P.C.) SUMS.</b></p> <p>The term "Prime Cost Sum" or "P.C. Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement mentioned in Condition No. 16 of the conditions of Contract. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods as stated in Condition No. 20 of the Conditions of Contract are described herein as Nominated Sub-Contractors.</p> <p>Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.</p>		
B.	<p><b>PROGRESS CHART.</b></p> <p>The Contractor shall provide within two weeks of Possession of Site and in agreement with the PROJECT MANAGER a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors ; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.</p>		
C.	<p><b>ADJUSTMENT OF P.C. SUMS.</b></p> <p>In the final account all P.C. Sums shall be deducted and the amount properly expended upon the PROJECT MANAGER'S order in respect of each of them added to the Contract sum. The Contractor shall produce to the PROJECT MANAGER such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the amount paid. Items of "attendance" (as previously described) following P.C. Sums shall be adjusted pro-rata to the physical extent of the work executed (not pro-rata to the amount paid) and this shall apply even though the Contractor's priced Bill shows a percentage in the rate column in respect of them.</p> <p>Should the Contractor be permitted to tender and his tender be accepted of any work for which a P.C. Sum is included in these Bill of Quantities profit and attendance will be allowed at the same rate as it would be if the work were executed by a Nominated Sub-Contractor.</p>		
<i>Carried to collection</i>			



ITEM	DESCRIPTION	KSHS	CTS
<b>A.</b>	<b>ADJUSTMENT OF PROVISIONAL SUMS.</b>		
	<p>In the final account all Provisional Sums shall be deducted and the value of the work properly executed in respect of them upon the PROJECT MANAGER's order added to the Contract Sum. Such work shall be valued as described for Variations in Conditions No. 13 of the Conditions of Contract, but should any part of the work be executed by a Nominated Sub-Contractor, the value of such work or articles for the work to be supplied by a Nominated Supplier, the value of such work or articles shall be treated as a P.C. Sum and profit and attendance comparable to that contained in the priced Bills of Quantities for similar items added.</p>		
<b>B.</b>	<b>NOMINATED SUB-CONTRACTORS</b>		
	<p>When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into sub-contracts as described in Condition No. 20 of the Conditions of Contract and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Sub-Contractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub-contract Contractor's work concerned in the P.C. Sums under the description "add for Attendance".</p>		
<b>C.</b>	<b>DIRECT CONTRACTS</b>		
	<p>Notwithstanding the foregoing conditions, the Government reserves the right to place a "Direct Contract" for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed.</p>		
<b>D.</b>	<b>ATTENDANCE UPON OTHER TRADESMEN, ETC.</b>		
	<p>The Contractor shall allow for the attendance of trade upon trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and also for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills.</p>		
<i>Carried to collection</i>			
<i>Page 9</i>			

ITEM	DESCRIPTION	KSHS	CTS
<b>ITEM</b>	<b>DESCRIPTION</b>	<b>KSHS</b>	<b>CTS</b>
A.	<p><b>INSURANCE</b></p> <p>The Contractor shall insure as required in Clause 30 of the Conditions of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the PROJECT MANAGER either by production of an Insurance Policy or and Insurance Certificate that the provision of the foregoing Insurance Clauses have been complied with in all respects. Thereafter the PROJECT MANAGER shall from time to time ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals for the PROJECT MANAGER's inspection.</p>		
B.	<p><b>PROVISIONAL WORK</b></p> <p>All work described as "Provisional" in these Bills of Quantities is subject to remeasurement in order to ascertain the actual quantity executed for which payment will be made. All "Provisional" and other work liable to adjustment under this Contract shall left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the PROJECT MANAGER</p> <p>Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER. If the Contractor makes default in these respects he shall if the PROJECT MANAGER so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expense.</p>		
C.	<p><b>ALTERATIONS TO BILLS, PRICING, ETC.</b></p> <p>Any unauthorised alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored.</p> <p>The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities. All items of measured work shall be priced in detail and the Tenders containing Lump Sums to cover trades or groups of work must be broken down to show the price of each item before they will be accepted.</p>		
D.	<p><b>BLASTING OPERATIONS</b></p> <p>Blasting will only be allowed with the express permission of the PROJECT MANAGER in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations in force for the time being, and any special regulations laid down by the PROJECT MANAGER governing the use and storage of explosives.</p>		
<i>Carried to collection</i>			

ITEM	DESCRIPTION	KSHS	CTS
A.	<p><b>MATERIALS ARISING FROM EXCAVATIONS</b></p> <p>Materials of any kind obtained from the excavations shall be the property of the Government. Unless the PROJECT MANAGER directs otherwise such materials shall be dealt with as provided in the Contract. Such materials shall only be used in the works, in substitution of materials which the Contractor would otherwise have had to supply with the written permission of the PROJECT MANAGER Should such permission be given, the Contractor shall make due allowance for the value of the materials so used at a price to be agreed.</p>		
B.	<p><b>PROTECTION OF THE WORKS.</b></p> <p>Provide protection of the whole of the works contained in the Bills of Quantities, including casing , casing up, covering or such other means as may be necessary to avoid damage to the satisfaction of the PROJECT MANAGER and remove such protection when no longer required and make good any damage which may nevertheless have been done at completion free of cost to the Government.</p>		
B.	<p><b>REMOVAL OF RUBBISH ETC.</b></p> <p>Removal of rubbish and debris from the Buildings and site as it accumulates and at the completion of the works and remove all plant, scaffolding and unused materials at completion.</p>		
C.	<p><b>WORKS TO BE DELIVERED UP CLEAN</b></p> <p>Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash (except where such treatment might cause damage) and clean all floors, sanitary fittings, glass inside and outside and any other parts of the works and remove all marks, blemishes, stains and defects from joinery, fittings and decorated surfaces generally, polish door furniture and bright parts of metalwork and leave the whole of the buildings watertight, clean, perfect and fit for occupation to the approval of the PROJECT MANAGER</p>		
	<i>Carried to collection</i>		

ITEM	DESCRIPTION	KSHS	CTS
A.	<p><b>GENERAL SPECIFICATION.</b></p> <p>For the full description of materials and workmanship, method of execution of the work and notes for pricing, the Contractor is referred to the Ministry of Roads, Public Works and Housing General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects unless it conflicts with the General Preliminaries, Trade Preambles or other items in these Bills of Quantities.</p>		
B.	<p><b>TRAINING LEVY</b></p> <p>The Contractor's attention is drawn to legal notice No. 237 of October, 1971, which requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than Kshs. 50,000.00 in value.</p>		
C.	<p><b>MATERIALS ON SITE</b></p> <p>All materials for incorporation in the works must be stored on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.</p>		
D.	<p><b>HOARDING</b></p> <p>Hoarding shall not be required.</p> <p>The Contractor is however required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.</p>		
E.	<p><b>CONTRACTOR'S SUPERINTENDENCE/SITE AGENT</b></p> <p>The Contractor shall constantly keep on the works a literate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the Project Manager and such directions shall be deemed to have been given to the Contractor in accordance with the Conditions of Contract.</p>		
<i>Carried to Collection</i>			

ITEM	DESCRIPTION	KSHS	CTS
------	-------------	------	-----

ITEM	DESCRIPTION	KSHS	CTS
	<u>COLLECTION</u>		
	Brought Forward From Page GP/ 1		
	Brought Forward From Page GP/ 2		
	Brought Forward From Page GP/ 3		
	Brought Forward From Page GP/ 4		
	Brought Forward From Page GP/ 5		
	Brought Forward From Page GP/ 6		
	Brought Forward From Page GP/ 7		
	Brought Forward From Page GP/ 8		
	Brought Forward From Page GP/ 9		
	Brought Forward From Page GP/ 10		
	Brought Forward From Page GP/ 11		
	Brought Forward From Page GP/ 12		
	TOTAL FOR GENERAL PRELIMINARIES CARRIED TO MAIN SUMMARY		

ITEM	DESCRIPTION	QTY	UNIT	RATE	SHS
	<b>EXTENSION TO VIP GUEST WING AT KSG MATUGA ( MAIN BLOCK ) ELEMENT NO. 01 SUB-STRUCTURES (ALL PROVISIONAL)</b>				
A	Allow for bringing to site and subsequently removing all plant necessary for the works		ITEM		
B	Allow for removing all water from the site		ITEM		
C	Clear site of grass, shrubs and small trees and dispose	140	SM		
D	Excavate to remove vegetable topsoil average 150mm and remove from site	140	SM		
E	Cut trees girth exceeding 1000mm, grub up roots and dispose <b><u>Excavate in normal soil depth not exceeding 1500mm:</u></b>	2	NO		
E	from the stripped level: to reduce levels	27	CM		
F	from the reduced level: for foundation trenches / pier bases	46	CM		
G	Return fill in and ram selected excavated material in foundations	28	CM		
H	Load wheel and cart away surplus excavated material from site	19	CM		
I	300mm thick approved hardcore:laid and compacted in 100mm layers: well-watered	102	SM		
J	50mm thick approved murrum blinding to surface of hardcore	102	SM		
K	Extra over normal excavation for rock class 'A'	5	CM		
L	50mm thick mass concrete 1:4:8 blinding in foundations	33	SM		
M	V.R.C 1:2:4 in foundations/piers	7	CM		
N	150mm thick concrete 1:2:4 in floor bed	102	SM		
P	500 gauge approved damp proof membrane:laid with laps as instructed	102	SM		
Q	One layer No A142 steel fabric mesh re-inforcement in floor slab	102	SM		
	<b>TOTAL TO COLLECTION</b>				

ITEM	DESCRIPTION	QTY	UNIT	RATE	SHS
	<b>SUBSTRUCTURE CONTINUED -----</b>				
A	Sawn formwork as described to edges of floor slab girth 150 - 225mm	46	LM		
B	Treat surface of hardcore with approved insecticide to the Manufacturers instruction	102	SM		
	<b><u>3-ply black bituminous felt damp proof course: laid with laps as instructed:</u></b>				
C	200mm wide	112	LM		
D	200mm thick machine cut coral stone foundation walling in cement/sand (1:4) mortar reinforced with / including hoop iron in alternate courses: machine cut	64	SM		
	<b><u>British standards including laps, bends, tying wire and spacer blocks:</u></b>				
E	12mm diameter	98	KG		
F	10mm ditto	98	KG		
G	600 X 600 X 50mm precast concrete paving slabs laid on and including 50mm consolidated sand bed 1,2 m wide	58	SM		
	<b><u>Plinths:</u></b>				
H	15mm cement / sand render to plinths	18	SM		
I	Prepare and apply 3 coats black bituminous paint to rendered plinths	18	SM		
	TOTAL TO COLLECTION BELOW				
	COLLECTION				
	TOTAL FROM PAGE 01				
	TOTAL FROM ABOVE				
	TOTAL FOR SUBSTRUCTURE TO SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	SHS
<b><u>ELEMENT NO. 02</u></b>					
<b><u>SUPER-STRUCTURE</u></b>					
<b><u>Machine dressed coral stone block walling in cement / sand(1:3) mortar reinforced with / including hoop iron in every alternate course:</u></b>					
A	200mm thick: external	102	SM		
B	200mm ditto walling: internal	40	SM		
C	600 x 200 masonry piers	70	LM		
D	Vibrated reinforced concrete (1:2:4): in beams/lintols	4	CM		
<b><u>Sawn formwork:</u></b>					
E	to sides of beams	40	SM		
F	to soffites of beams over openings	19	SM		
<b><u>High tensile square twisted bar reinforcement to British standards: including bends, laps, tying wire and spacer blocks:</u></b>					
G	12mm diameter	200	KG		
H	8mm diameter	120	KG		
<b>TOTAL FOR SUPER - STRUCTURE TO SUMMARY</b>					



ITEM	DESCRIPTION	QTY	UNIT	RATE	SHS
<b><u>ELEMENT NO. 03</u></b>					
<b><u>ROOF</u></b>					
A	Approved concrete roofing tiles size 380 x 230mm laid in accordance to pertinent drawings and with manufacturer's printed instructions on and including 50 x 25mm sawn timber battens and iron sheet underlay (m/s) as instructed	130	SM		
B	Gauge 32 plain galvanized iron sheet underlay nailed to purlins (m/s)	130	SM		
C	Ridge cap tile	17	LM		
D	Filled end of ridge cap with matching cement and sand (1:3) mortar	2	NO		
E	Raking cutting roofing tiles	16	LM		
F	Ditto galvanized iron sheet underlay	16	LM		
G	Gauge 26 galvanized iron valley gutter 750mm girth	8	LM		
<b><u>Trusses (All timber work is provisional)</u></b>					
<u>The following in pressure impregnated first grade cypress timber</u>					
H	150 x 50mm Rafters	212	LM		
I	Ditto tie beams	96	LM		
J	Ditto king post	20	LM		
K	Ditto valley rafters	8	LM		
L	100 x 50mm struts and ties	130	LM		
M	Ditto collar splices	26	LM		
N	Ditto purlins	164	LM		
Carried to Collection					

ITEM	DESCRIPTION	QTY	UNIT	RATE	SHS
	<b><u>ROOFING - (CONTINUED)</u></b>				
	<u>The following in second grade celcured and well seasoned cypress timber</u>				
A	100 x 50 mm wall plate bolted to wall with and including 12mm diameter bolts 60mm long at 1000mm centres	34	LM		
B	200 x 50mm Ridge board	24	LM		
C	Bore hole in 50mm thick timber for 12mm diameter bolts	34	NO		
D	Make mortice in reinforced concrete for 12mm diameter bolts	34	NO		
	<u>Eaves</u>				
E	50 x 50mm second grade celcured and well seasoned cypress timber brandering	86	LM		
F	Ditto but plugged	86	LM		
G	25 x 25mm Prime grade cypress timber slats at 75mm centres nailed to tie beams (m/s)	28	SM		
H	Coffee tray tacked to timber at eaves	28	SM		
	<u>Fascia Board</u>				
I	225 x 25 mm thick wrot cypress fascia /barge boards fixed to end of rafters (m/s)	44	LM		
	<u>Rain water goods</u>				
J	<u>Gutters</u>				
K	150 x 100mm galvanized iron gutter gauge 24 fixed to fascia boards (m/s) with and including approved steel brackets at 1000mm centres	30	LM		
L	Extra over gutter for stopped ends	4	NO		
M	Ditto but for 100 mm diameter outlet	4	NO		
	Carried to Collection				

ITEM	DESCRIPTION	QTY	UNIT	RATE	SHS
	<b>ROOFING CONTINUED -----</b>				
	<u>Downpipe</u>				
A	100 mm diameter galvanised iron downpipe gauge 24 fixed to wall with and including holder butts at 1000mm centres	16	LM		
B	Extra over downpipe for swanneck 1200mm long	4	NO		
C	Ditto horse shoe 300 mm long	4	NO		
	<u>Decoration and painting</u>				
	<u>Knot, stop, prepare and apply three coats oil gloss paint to:</u>				
D	General surfaces of timber	40	SM		
E	Surfaces of timber 200-300mm girth	32	LM		
	<u>Prepare and apply three coats gloss oil paint to:</u>				
F	General surfaces of metal gutters	16	SM		
G	Surfaces of large pipes	16	LM		
	<u>COLLECTION</u>				
	FROM PAGE 4				
	FROM PAGE 5				
	FROM ABOVE				
	<b>TOTAL FOR ROOF TO SUMMARY</b>				

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSH
<b><u>ELEMENT NO. 04 - DOORS</u></b>					
<b><u>Wrot mahogany or equal and approved</u></b>					
A	150 X 50mm once rebated door frame: with one labour	64	LM		
B	50mm thick hwd panelled door to architectural details overall size 2000 X 2050mm with 2-leaf , 450 mm wide glazed sidelight/fixdlight panel and 600 mm high glazed fanlight	2	NO		
C	50mm thick hwd panelled door to architectural details overall size 850 X 2050mm and 600 mm high and 600 mm high	6	NO		
<b><u>Knot prime and stop: prepare and apply one undercoat and two finishing coats gloss oil paint;</u></b>					
D	to general wood surfaces	48	SM		
E	to isolated wood surfaces	64	LM		
<b><u>Supply and fix the following ironmongery: 'Union' or equal and approved specification:</u></b>					
F	3 - lever mortice lock	8	NO		
G	100mm brass butt hinges	30	PRS		
H	100mm tower bolt	10	NO		
I	rubber door stop: rawl bolted to floor or wall	10	NO		
<b>TOTAL FOR DOORS TO SUMMARY</b>					

ITEM	DESCRIPTION	QTY	UNIT	RATE	SHS
<b><u>ELEMENT NO. 05 - WINDOWS</u></b>					
<b><u>Provide and fix the following heavy duty aluminium sliding windows complete with 6mm clear glazing, ironmongery and all fixing accessories: all to architectural details:</u></b>					
A	Overall size 2000 X 1800mm	10	NO		
B	Overall size 900 X 750mm	4	NO		
<b>TOTAL FOR WINDOWS TO SUMMARY</b>					
<b><u>ELEMENT NO. 6 FINISHES</u></b>					
<b><u>Floor Finishes</u></b>					
<b><u>cement and sand (1:4 ) sreedng smooth trowelled</u></b>					
B	32 mm thick to receive ceramic tiles ( m.s)	102	SM		
<b><u>grano polished tiles including bedding &amp; jointing in cement and sand (1:3) mortar and flush pointed with white cement</u></b>					
C	600 X 600 x 8 mm tiles	102	SM		
D	100mm high X 10mm thick skirting	54	LM		
<b><u>Wall Finishes</u></b>					
E	13mm cement / sand (1:4) render to walls: external	140	SM		
F	13mm cement / sand (1:4) plaster to walls: internal	70	SM		
G	Glazed white tiles	60	SM		
<b><u>Ceiling Finishes</u></b>					
G	T & G pvc ceiling nailed to timber brandering (ms).	102	SM		
H	75 X 50mm/ 50x50 mm sawn cypress brandering	408	LM		
I	50 X 12mm pvc cornice	60	LM		
<b>TOTAL FOR FINISHES TO SUMMARY</b>					

ITEM	DESCRIPTION	QTY	UNIT	RATE	SHS
<b><u>ELEMENT NO. 07 PAINTING &amp; DECORATING</u></b>					
<b><u>Prepare and apply three coats plastic emulsion paint:</u></b>					
A	to external rendered surfaces	140	SM		
B	to plastered internal surfaces	70	SM		
<b>TOTAL TO PAINTING AND DECORATING TO SUMMARY</b>					
<b><u>EXTENSION TO VIP GUEST WING AT KSG MATUGA</u></b> <b><u>MAIN BLOCK</u></b> <b><u>SUMMARY</u></b>					
1	SUB STRUCTURES				
2	SUPER STRUCTURE				
3	ROOF				
4	DOORS				
5	WINDOWS				
6	FINISHES				
7	PAINTING AND DECORATING				
<b><u>BUILDING WORKS</u></b>					
<b>TOTAL FOR VIP GUEST WING - MAIN BLOCK</b>					
<b>CARRIED TO GRAND SUMMARY</b>					

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<b><u>CONSTRUCTION OF WALKWAY - GUEST WING TO KITCHEN BLOCK</u></b>				
	<b><u>ELEMENT NO.1</u></b>				
	<b><u>SUBSTRUCTURES</u></b>				
	<b><u>Excavations</u></b>				
A	Excavate oversite average 150mm deep and cart away as	150	SM		
B	Excavate trenches for strip foundation not exceeding 1.5metres	60	CM		
C	Ditto for column bases ditto	45	CM		
D	Extra over excavation from rock in any positio	6	CM		
	<b><u>Filling and carting away</u></b>				
E	Return, fill and ram with selected and approved excavated	26	CM		
F	Load and cart away excavated materials from site	32	CM		
G	Approved 300 mm hardcore bed handpacked, well watered and	150	SM		
H	50 mm selected fine material to hardcore surfaces, well rolled	150	SM		
I	Apply "Termidor" or any other similar and approved anti	150	SM		
J	500 gauge polythene sheeting with sides and end laps as	150	SM		
	<b><u>Plain concrete (1:4:8) in</u></b>				
K	Blinding to column bases	30	SM		
L	Strip footing <u>Vibrated reinforced concrete grade 24/20 (1:2:4) in</u>	60	SM		
M	Column bases	10	CM		
N	Columns	2	CM		
	<b><u>Sawn formwork to:</u></b>				
O	Sides of strip footing	50	SM		
P	Ditto column bases	30	SM		
Q	Ditto columns	45	SM		
	<b>COLLECTION</b>				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
A	Edges of floor bed 75 - 150mm high  <u>Steel reinforcement as described including cutting to length, bending and fixing including all necessary tying wires and spacing blocks (all provisional)</u>	200	LM		
B	R 8mm Diameter round steel bar	420	KG		
C	Y 12mm  <u>Steel fabric mesh reinforcement to B.S. 448:</u>	520	KG		
D	No. A 142 fabric weighing 2.22Kg/sm fixed in bec	150	SM		
E	Machine cut coral walling in cement / sand (1:3) mortar  <u>Plinths</u>	100	SM		
F	12mm thick cement and sand (1:3) render to plinths	30	SM		
G	Prepare and apply three coats bituminous paint to rendered	30	SM		
H	Allow for keeping the whole of the excavations free from al		ITEM		
I	Allow for maintaining and upholding sides of excavations and		ITEM		
	Carried to Collection				
	<u>COLLECTION</u>				
	FROM PAGE 1				
	FROM ABOVE				
	<b>TOTAL FOR ELEMENT NO. 1 (SUBSTRUCTURES)</b>		<b>CARRIED TO SUMMARY</b>		
		<b>KSHS</b>			





ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<b><u>ELEMENT NO. 2</u></b>				
	<b><u>REINFORCED CONCRETE SUPERSTRUCTURE</u></b>				
	<u>Vibrated reinforced concrete grade 24/20 (1:2:4) in:</u>				
A	Beams	7	CM		
B	Columns	5	CM		
	<u>Sawn formwork to:</u>				
C	Sides and soffites of beams	100	SM		
D	Sides of columns	90	SM		
	<u>Steel reinforcement as described including cutting to length.</u>				
	<u>High tensile square twisted bars</u>				
E	8mm Diameter bars	420	KG		
F	12mm Ditto	720	KG		
	<b>TOTAL FOR ELEMENT NO. 2</b>				
	<b>(REINFORCED CONCRETE)</b>				
	<b>CARRIED TO</b>				
	<b>SUMMARY</b>				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<b><u>ELEMENT NO.3</u></b>				
	<b><u>ROOFING</u></b>				
	<b><u>ROOFING</u></b>				
A	Aluminium versatile roofing sheets gauge 28	200	SM		
B	Gauge 26 Ridge/ hip cap	50	LM		
C	Ditto galvanized iron valley gutter 750mm girt	8	LM		
	<b><u>Trusses (All timber work is provisional)</u></b>				
	<u>The following in pressure impregnated first grade cypress</u>				
D	150 x 50mm Rafters	336	LM		
E	Ditto tie beams	126	LM		
F	Ditto king post	26	LM		
G	Ditto valley ratters	16	LM		
H	100 x 50mm struts and ties	52	LM		
I	Ditto collar splices	52	LM		
J	Ditto purlins	420	LM		
	<u>The following in second grade celcured and well seasoned</u>				
K	100 x 50 mm wall plate bolted to wall with and including	100	LM		
M	Bore hole in 50mm thick timber for 12mm diameter bolt:	86	NO		
N	Make mortice in reinforced concrete for 12mm diameter bolt	86	NO		
	<u>Fascia Board/ Barge</u>				
O	225 x 25 mm thick wrot cypress fascia /verge boards fixed to	116	LM		
	<b>TOTAL FOR ELEMENT NO. 4</b>				
	<b>(ROOFING)</b>				
	<b>CARRIED TO</b>				
	<b>SUMMARY</b>				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<b><u>ELEMENT NO. 4</u></b>				
	<b><u>FINISHINGS</u></b>				
	<b><u>Floor Finishes</u></b>				
A	32mm cement / sand (1:3) screed: steel trowelled :to fal	150	SM		
	<b><u>12mm thick cement and sand (1:3) plaster to :</u></b>				
B	Beams	110	SM		
C	Columns	90	SM		
	<u>Prepare and apply three coats of first grade silk vinly emulsior</u>				
D	Plastered surfaces of Beams and Columns	200	SM		
	<b>TOTAL FOR ELEMENT NO. 4 FINISHINGS CARRIED TO SUMMARY</b>				
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<b><u>SUMMARY</u></b>				
A	SUBSTRUCTURES.....				
B	REINFORCED CONCRETE SUPERSTRUCTURE.....				
C	ROOFING.....				
D	FINISHINGS.....				
	<b><u>BUILDING WORKS</u></b>				
	<b>TOTAL FOR WALKWAY CARRIED TO GRAND SUMMARY</b>				

<i>Item</i>	<i>Description</i>		<i>Amount</i>
	<p><b><u>PRIME COST AND</u></b>  <b><u>PROVISIONAL SUMS</u></b></p> <p><b><u>PROVISIONAL SUMS</u></b></p> <p>A Allow a provisional sum of KSh three hundred thousand only for internal plumbing and external soil drainage</p> <p>B Allow a provisional sum of Kenya Shillings one hundred fifty thousand for electrical works</p> <p>C Allow a provisional sum of Kenya Shillings two hundred thousand for contingencies and project management</p> <p><b>TOTAL FOR PROVISIONAL SUMS TO SUMMARY</b></p> <p style="text-align: right;">PC/1</p>		<p>300,000.00</p> <p>150,000.00</p> <p>200,000.00</p> <hr/> <p><b>650,000.00</b></p>

**GRAND SUMMARY – EXTENSION TO VIP GUEST WING**

ITEM	DESCRIPTION	TENDERER'S AMOUNT	OFFICIAL USE ONLY
01	PRELIMINARIES		
02	BUILDING WORKS - TOTAL FOR MAIN BLOCK		
03	BUILDING WORKS - TOTAL FOR WALKWAY		
04	PRIME COST/PROV. SUMS		
	SUB - TOTAL		
	ADD 16% V.A.T		
	GRAND TOTAL CARRIED TO FORM OF TENDER		

Amount of tender in words: Kenya Shillings .....

.....

Tender's signature and stamp.....

Address.....

Date.....

Witness: Name and Signature.....

Description.....

Address.....

Date.....

# **SITE INSTRUCTIONS**